

# Superior KeyPad Fibra

Wired keyboard

<b>Compatibility</b>	<b>Compatible hub models</b> Hub Hybrid (2G) Hub Hybrid (4G)
<b>Communication</b>	<b>Fibra communication technology</b> Proprietary wired communication technology. Fibra combines the reliability of wires with the freedom of radio connection.  It features: <ul style="list-style-type: none"><li>• Two-way communication.</li><li>• Advanced anti-sabotage.</li><li>• Instant notifications.</li><li>• Remote configuration via the app.</li></ul> <b>Line connection</b> 4-core cable  <b>Fibra line length</b> up to 2,000 meters  <b>Fibra line length</b> up to 6,500 ft When using the U/UTP cat.5 twisted pair.  <b>Encrypted communication</b>
<b>Key features</b>	<b>Sensor type</b> Capacitive  <b>Security mode indication</b> Only when Superior KeyPad Fibra is active.  <b>Duress code</b> 50 personal codes One per each user. 1 general code One per Superior KeyPad Fibra.  <b>Functional button</b> Panic button To activate an alarm. Mute fire alarms To mute interconnected fire detectors alarms.  <b>Codes</b>

	50 personal codes One per each user. 1 general code One per Superior KeyPad Fibra.
Recommendations	Device is designed for indoor use only.
<b>Anti-sabotage protection</b>	<p><b>Code guessing protection</b>  Superior KeyPad Fibra locks for 3-180 minutes if an incorrect code is entered more than 3 times in a row within 1 minute. The lock time is adjusted by PRO or user with admin rights in the Ajax app.</p> <p><b>Tampering alarm</b>  Alerts of attempts to detach the detector from the surface or remove the mounting panel.</p> <p><b>Protection against forgery</b>  device authentication</p>
<b>Power supply</b>	<b>Fibra line power supply</b> 5–30 V $\overline{\sim}$ , up to 230 mW The keypad is powered by the control panel.
<b>Enclosure</b>	<p><b>Dimensions</b>  150 × 103 × 19 mm  5.90" × 4.05" × 0.75"</p> <p><b>Weight</b>  148 g  5.22 oz</p> <p><b>Operating temperature range</b>  from –10°C to +40°C  from 14°F to 104°F</p> <p><b>Operating humidity</b>  up to 75%</p> <p><b>Protection class</b>  IP50</p>
<b>Colours</b>	<b>Black</b>  <b>White</b>
<b>Complete set</b>	Superior KeyPad Fibra SmartBracket mounting panel Installation kit Quick Start Guide
<b>Warranty</b>	24 months

